



FEATURES OF HAND-HELD DRILLING MACHINES

The EIBENSTOCK high performance hand-held drills are great for drilling steel, aluminium, plastic, hard and soft wood. All machines are robust and powerful for continuous use and high operational reliability. EIBENSTOCK drilling machines are mainly used in the metalworking and assembly industries as well as steel construction, machinery, plant and vehicles renovation and the carpentry and wood industries.



Hand-held drilling machine EHB 16/1.4 S R/L

Hand-held drilling machine EHB 16/2.4 S R/L





Compact models

USE:

- Drilling and screwing of wood, aluminium, steelMobile for easy transport to site
- Metal and timber construction

- Soft start speed control precise drilling/screwing
- Reversible easily remove of the drill bit from holes and easily screw in and remove screws
- High torque gearbox powerful drilling
- Adjustable handle with aluminium clamp allows
- adaptation to the application and working position

 Long front handle allowing for easy handling at high
 torque and optimal power transmission
- Spade handle optimal power transmission



SPECIFICATIONS	EHB 16/1.4 S R/L
Power input	1150 W
Rated voltage	230 V ~
Rated speed	0-450 rpm
No-load speed	650 rpm
Max. drilling-Ø wood/alu/steel	65/28/20 mm*
Reversible	yes
Spindle connection	B 18
Collar diameter	43 mm
Weight	3.2 kg
Order no.	0121E000
Supplied	in a box incl. drill chuck kev

SPECIFICATIONS	EHB 16/2.4 S R/L
Power input	1150 W
Rated voltage	230 V ~
Rated speed	0-430/0-760 rpm
No-load speed	700/1200 rpm
Max. drilling-Ø wood/alu/steel	65/28/20 mm*
Reversible	yes
Spindle connection	%"×16 UN
Collar diameter	43 mm
Weight	3.2 kg
Order no.	0122H000
Supplied	in a box
	incl. drill chuck key













The chiselling hammer for comfortable use

USE:

- Chipping of tiles, plaster, chiselling of core and drill bits and the finishing of slots
- Ideal for the refurbishment and renovation industries, e.g. tilers and electricians

FEATURES:

- Powerful chisel
- Cut-off carbon brushes protect the motor
- Selector wheel for variable impact frequency
- Low speed start for accurate and soft chiselling
- High impact, powerful motor, low weight
- Ergonomically designed front no need for a front handle allowing easy overhead use

SPECIFICATIONS	EMH 650
Power input	650 W
Rated voltage	230 V ~
No-load impact rate	0-3200 rpm
Impact energy	4.2 J
Spindle connection	SDS-plus
Weight	3.4 kg
Order no.	02511000
Supplied	in a case incl. pointed, flat and tile chisel



A Drilling/Screwing ACCESSORIES

FOR HAND-HE	FOR HAND-HELD DRILLING MACHINES					
,	1	Magnetic dr	ill rig B 32.1	09507000		
		for EHB 32/2	2.2 R R/L and EHB 3:	2/4.2		
	2	Weldon mounting shank				
		MT 3 - Ø 19 mm		33125000		
	3	Taper mandrel				
		B 16/MT 2		33111000		
		B 18/MT 2		33112000		
_		B 18/MT 3		33122000		
- Climan		Quick action drill chuck				
		½" x 20	Ø 13 mm	33433000		
		B 16	Ø 13 mm	33431000		
		B 16	Ø 16 mm	33441000		
		%" x 16 UN	Ø 16 mm	33444000		
	5	Scroll chuck				
		B 18	Ø 16 mm	33342000		
		M 18	Ø 16 mm	33345000		
6		Reducing sleeve				
		MT 3 - MT 2		33621000		
	7	Adapter				
		MT 2 male - M 14 female 33113000				
		MT 3 male - M 14 female 33123000				
8		Drill chuck key				
-	4		13			
		16		33540000		
	9	Plastic case		37332000		
11.50		for EHB 16, EHB 20/2.4				

FOR DRY-WALL SCREWDRIVER ESR 500



Collated screws for collating adapter no. 37701000

magazined, PH 2, fine thread 1000 screws in a box (strips of screws - 50 screws each)

3.9 x 35 mm 37712000 3.9 x 25 mm 37713000